

Heavy Duty Casters



01-06

Medium Duty Casters



07-11

Light Duty Casters



12-14

Light Duty Furniture Casters



15

Double-wheel Furniture Casters



15-16

Institutional Casters



17-22

Industrial Casters



23-27

European type industrial Castors



28-32

Scaffolding Casters



33-35

Extra Heavy Duty Casters



35-36

Waste Bin Container Casters



Low Gravity Center Casters



36-38

Pallet Truck Wheels



39

Shopping Cart Casters



40

Sliding Gate Wheels



41-42

Furniture Casters



43-47

Trolleys



48-50

» Heavy duty Casters up to 500 KGs. Capacity



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100PU	100	50	300	144	115x100	85x72	20	5.75
X125PU	125	50	350	166	115x100	85x72	30	5.75
X150PU	150	50	400	193	115x100	85x72	36	5.75
X200PU	200	50	450	240	115x100	85x72	39.5	5.75

» Wheel Material: Polyurethane tread bonded to cast iron core.

» Bearing: Precision ball bearing 2x86203.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100PU-B	100	50	300	144	115x100	85x72	20	5.75
X125PU-B	125	50	350	166	115x100	85x72	30	5.75
X150PU-B	150	50	400	193	115x100	85x72	36	5.75
X200PU-B	200	50	450	240	115x100	85x72	39.5	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100PU	100	50	300	144	115x100	85x72	\	5.75
Y125PU	125	50	350	166	115x100	85x72	\	5.75
Y150PU	150	50	400	193	115x100	85x72	\	5.75
Y200PU	200	50	450	240	115x100	85x72	\	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100UP	100	50	250	144	115x100	85x72	20	5.75
X125UP	125	50	300	166	115x100	85x72	30	5.75
X150UP	150	50	350	193	115x100	85x72	36	5.75
X200UP	200	50	400	240	115x100	85x72	39.5	5.75

» Wheel Material: Polyurethane tread bonded to polypropylene core.

» Bearing: Precision ball bearing 2x86202.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100UP-B	100	50	250	144	115x100	85x72	20	5.75
X125UP-B	125	50	300	166	115x100	85x72	30	5.75
X150UP-B	150	50	350	193	115x100	85x72	36	5.75
X200UP-B	200	50	400	240	115x100	85x72	39.5	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100UP	100	50	250	144	115x100	85x72	\	5.75
Y125UP	125	50	300	166	115x100	85x72	\	5.75
Y150UP	150	50	350	193	115x100	85x72	\	5.75
Y200UP	200	50	400	240	115x100	85x72	\	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100ER	100	50	220	144	115x100	85x72	20	5.75
X125ER	125	50	250	166	115x100	85x72	30	5.75
X150ER	150	50	280	193	115x100	85x72	36	5.75
X200ER	200	50	320	240	115x100	85x72	39.5	5.75

➤ Wheel Material: Elastic Rubber tread bonded to polypropylene core.

➤ Bearing: Precision ball bearing 2x B6203.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100ER-B	100	50	220	144	115x100	85x72	20	5.75
X125ER-B	125	50	250	166	115x100	85x72	30	5.75
X150ER-B	150	50	280	193	115x100	85x72	36	5.75
X200ER-B	200	50	320	240	115x100	85x72	39.5	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100ER	100	50	220	144	115x100	85x72	\	5.75
Y125ER	125	50	250	166	115x100	85x72	\	5.75
Y150ER	150	50	280	193	115x100	85x72	\	5.75
Y200ER	200	50	320	240	115x100	85x72	\	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100NY	100	50	220	144	115x100	85x72	20	5.75
X125NY	125	50	260	166	115x100	85x72	30	5.75
X150NY	150	50	300	193	115x100	85x72	36	5.75
X200NY	200	50	350	240	115x100	85x72	39.5	5.75

➤ Wheel Material: Nylon / Polypropylene.

➤ Color: Faint yellow or White.

➤ Bearing: Precision ball bearing 2x B6203.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100NY-B	100	50	220	144	115x100	85x72	20	5.75
X125NY-B	125	50	260	166	115x100	85x72	30	5.75
X150NY-B	150	50	300	193	115x100	85x72	36	5.75
X200NY-B	200	50	350	240	115x100	85x72	39.5	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100NY	100	50	220	144	115x100	85x72	\	5.75
Y125NY	125	50	260	166	115x100	85x72	\	5.75
Y150NY	150	50	300	193	115x100	85x72	\	5.75
Y200NY	200	50	350	240	115x100	85x72	\	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100TP	100	50	200	144	115x100	85x72	20	5.75
X125TP	125	50	240	166	115x100	85x72	30	5.75
X150TP	150	50	280	193	115x100	85x72	36	5.75
X200TP	200	50	320	240	115x100	85x72	39.5	5.75

➤ Wheel Material: Thermo Plastic Rubber tread bonded to polypropylene core.

➤ Bearing: Precision ball bearing 2x B6202.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100TP-B	100	50	200	144	115x100	85x72	20	5.75
X125TP-B	125	50	240	166	115x100	85x72	30	5.75
X150TP-B	150	50	280	193	115x100	85x72	36	5.75
X200TP-B	200	50	320	240	115x100	85x72	39.5	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100TP	100	50	200	144	115x100	85x72	\	5.75
Y125TP	125	50	240	166	115x100	85x72	\	5.75
Y150TP	150	50	280	193	115x100	85x72	\	5.75
Y200TP	200	50	320	240	115x100	85x72	\	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100TPR	100	50	200	144	115x100	85x72	20	5.75
X125TPR	125	50	240	166	115x100	85x72	30	5.75
X150TPR	150	50	280	193	115x100	85x72	36	5.75
X200TPR	200	50	320	240	115x100	85x72	39.5	5.75

➤ Wheel Material: Thermo Plastic Rubber tread bonded to polypropylene core.

➤ Bearing: Precision ball bearing 2xB6202.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100TPR-B	100	50	200	144	115x100	85x72	20	5.75
X125TPR-B	125	50	240	166	115x100	85x72	30	5.75
X150TPR-B	150	50	280	193	115x100	85x72	36	5.75
X200TPR-B	200	50	320	240	115x100	85x72	39.5	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100TPR	100	50	200	144	115x100	85x72	\	5.75
Y125TPR	125	50	240	166	115x100	85x72	\	5.75
Y150TPR	150	50	280	193	115x100	85x72	\	5.75
Y200TPR	200	50	320	240	115x100	85x72	\	5.75



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100AK	100	50	220	144	115x100	85x72	20	5.75
X125AK	125	50	250	166	115x100	85x72	30	5.75
X150AK	150	50	280	193	115x100	85x72	36	5.75
X200AK	200	50	320	240	115x100	85x72	39.5	5.75

➤ Wheel Material: Anti-skid Polyurethane tread bonded to polypropylene core.

➤ Bearing: Precision ball bearing 2xB6202.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100AK-B	100	50	220	144	115x100	85x72	20	5.75
X125AK-B	125	50	260	166	115x100	85x72	30	5.75
X150AK-B	150	50	300	193	115x100	85x72	36	5.75
X200AK-B	200	50	350	240	115x100	85x72	39.5	5.75

Medium duty Casters up to 150 KGs Capacity.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28UP75	75	32	100	106	93x64	74x44.5	43	3.0 2.5
28UP100	100	32	120	130	93x64	74x44.5	40	3.0 2.5
28UP125	125	32	150	155	93x64	74x44.5	40	3.0 2.5

➤ Wheel Material: Polyurethane tread bonded to polypropylene core.

➤ Bearing: Precision ball bearing 2xB6001.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28UP75-B	75	32	100	106	93x64	74x44.5	43	3.0 2.5
28UP100-B	100	32	120	130	93x64	74x44.5	40	3.0 2.5
28UP125-B	125	32	150	155	93x64	74x44.5	40	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28UP75R	75	32	100	106	93x64	74x44.5	\	2.5
28UP100R	100	32	120	130	93x64	74x44.5	\	2.5
28UP125R	125	32	150	155	93x64	74x44.5	\	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28UP75T	75	32	100	106	M12	30	43	2.5
28UP100T	100	32	120	130	M12	30	40	2.5
28UP125T	125	32	150	155	M12	30	40	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28UP75T-B	75	32	100	106	M12	30	43	2.5
28UP100T-B	100	32	120	130	M12	30	40	2.5
28UP125T-B	125	32	150	155	M12	30	40	2.5