



佛山市潘达五金有限公司

Foshan Panda Hardware Co., Ltd

Address: 1-501-3, BD24 Huazhi Industrial Park, No.28 Sanle

East RD, Beijiao Town, Shunde District, Foshan, China

Post code: 528000

Tel: +86-757-2809 2256

Mob: +86-158 1976 1159(Whatsapp/Wechat)

Web: www.foshanpanda.com

Email: sandy@foshanpanda.com

2025

COMPANY INTRODUCTION

Foshan Panda Hardware Co., Ltd was founded in 2017 and located in Foshan. We have been focusing on the research and manufacturing of casters & wheels since establishment.

As a leading enterprise in this field in China, our factory covers an area of 14,000 square meters. Panda were made up by 120 skilled workers and engineers as one family.

Our products include heavy duty casters, medium duty and light duty casters, scaffolding casters, industrial casters, various wheels for casters and pallet trucks, which are widely used on furniture, trolleys, various tools and equipments.

Our products are popular in more than 50 countries and areas. We provide customized solutions on casters & wheels. Our company and products have obtained ISO9001 certification, Rohs, and other certificates. We value our credit and honor very much, we were honored the title of "Good Quality and Reputation", and "AAA Credit" by government.

Our philosophy is "Professional creates value", It's our faith to develop better quality products and more warm-hearted service to meet customers' demands.

Welcome to visit and cooperate with us!



CERTIFICATION & HONOR



Heavy Duty Casters



01-06

Medium Duty Casters



07-14

Black Diamond Series



15-16

Light Duty Casters



17-20

Double-wheel



Fat PP Wheel Series



21-22

Institutional Casters



23-27

Industrial Casters



28-33

European type industrial Castors



34-36

Scaffolding Casters



37-38

Extra Heavy Duty Casters



38-39

Waste Bin Casters



40

Low Gravity Caster



41

Furniture Casters



42-44

Pallet Truck Wheels



45

Sliding Gate Wheels



46-47

Trolleys



47-48

Heavy duty Casters up to 450 KGs. Capacity



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100PU	100	50	300	142	115x100	85x72	11x19	5.5
X125PU	125	50	350	165	115x100	85x72	11x19	5.5
X150PU	150	50	400	190	115x100	85x72	11x19	5.5
X200PU	200	50	450	240	115x100	85x72	11x19	5.5

Wheel Material: Polyurethane tread bonded to cast iron core.

Bearing: Precision ball bearing 2xB6203.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100PU-B	100	50	300	142	115x100	85x72	11x19	5.5
X125PU-B	125	50	350	165	115x100	85x72	11x19	5.5
X150PU-B	150	50	400	190	115x100	85x72	11x19	5.5
X200PU-B	200	50	450	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100PU	100	50	300	142	115x100	85x72	11x19	5.5
Y125PU	125	50	350	165	115x100	85x72	11x19	5.5
Y150PU	150	50	400	190	115x100	85x72	11x19	5.5
Y200PU	200	50	450	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100ER	100	50	220	142	115x100	85x72	11x19	5.5
X125ER	125	50	250	165	115x100	85x72	11x19	5.5
X150ER	150	50	280	190	115x100	85x72	11x19	5.5
X200ER	200	50	320	240	115x100	85x72	11x19	5.5

Wheel Material: Elastic Rubber tread bonded to polypropylene core.

Bearing: Precision ball bearing 2xB6203.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100ER-B	100	50	220	142	115x100	85x72	11x19	5.5
X125ER-B	125	50	250	165	115x100	85x72	11x19	5.5
X150ER-B	150	50	280	190	115x100	85x72	11x19	5.5
X200ER-B	200	50	320	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100ER	100	50	220	142	115x100	85x72	11x19	5.5
Y125ER	125	50	250	165	115x100	85x72	11x19	5.5
Y150ER	150	50	280	190	115x100	85x72	11x19	5.5
Y200ER	200	50	320	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100NY	100	44	220	142	115x100	85x72	11x19	5.5
X125NY	125	44	260	165	115x100	85x72	11x19	5.5
X150NY	150	44	300	190	115x100	85x72	11x19	5.5
X200NY	200	44	350	240	115x100	85x72	11x19	5.5

Wheel Material: Polypropylene+Copolymer or Nylon.

Bearing: Precision ball bearing 2xB6203.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100NY-B	100	44	220	142	115x100	85x72	11x19	5.5
X125NY-B	125	44	260	165	115x100	85x72	11x19	5.5
X150NY-B	150	44	300	190	115x100	85x72	11x19	5.5
X200NY-B	200	44	350	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100NY	100	44	220	142	115x100	85x72	11x19	5.5
Y125NY	125	44	260	165	115x100	85x72	11x19	5.5
Y150NY	150	44	300	190	115x100	85x72	11x19	5.5
Y200NY	200	44	350	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100UP	100	50	200	142	115x100	85x72	11x19	5.5
X125UP	125	50	240	165	115x100	85x72	11x19	5.5
X150UP	150	50	280	190	115x100	85x72	11x19	5.5
X200UP	200	50	320	240	115x100	85x72	11x19	5.5

Wheel Material: PU or PVC tread bonded to polypropylene core.

Wheel Color: Purplish Red, Blue, Red

Bearing: 2xB6202.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100UP-B	100	50	200	142	115x100	85x72	11x19	5.5
X125UP-B	125	50	240	165	115x100	85x72	11x19	5.5
X150UP-B	150	50	280	190	115x100	85x72	11x19	5.5
X200UP-B	200	50	320	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100UP	100	50	200	142	115x100	85x72	11x19	5.5
Y125UP	125	50	240	165	115x100	85x72	11x19	5.5
Y150UP	150	50	280	190	115x100	85x72	11x19	5.5
Y200UP	200	50	320	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100TP	100	48	180	142	115x100	85x72	11x19	5.5
X125TP	125	48	200	165	115x100	85x72	11x19	5.5
X150TP	150	48	260	190	115x100	85x72	11x19	5.5
X200TP	200	48	300	240	115x100	85x72	11x19	5.5

➤ Wheel Material: TPR tread bonded to polypropylene core.

➤ Bearing: Precision ball bearing 2xB6203.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100TP-B	100	48	180	142	115x100	85x72	11x19	5.5
X125TP-B	125	48	200	165	115x100	85x72	11x19	5.5
X150TP-B	150	48	260	190	115x100	85x72	11x19	5.5
X200TP-B	200	48	300	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100TP	100	48	180	142	115x100	85x72	11x19	5.5
Y125TP	125	48	200	165	115x100	85x72	11x19	5.5
Y150TP	150	48	260	190	115x100	85x72	11x19	5.5
Y200TP	200	48	300	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100UR	100	50	200	142	115x100	85x72	11x19	5.5
X125UR	125	50	240	165	115x100	85x72	11x19	5.5
X150UR	150	50	280	190	115x100	85x72	11x19	5.5
X200UR	200	50	320	240	115x100	85x72	11x19	5.5

➤ Wheel Material: PU or PVC tread bonded to polypropylene core.

➤ Bearing: Precision ball bearing 2xB6202.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100UR-B	100	50	200	142	115x100	85x72	11x19	5.5
X125UR-B	125	50	240	165	115x100	85x72	11x19	5.5
X150UR-B	150	50	280	190	115x100	85x72	11x19	5.5
X200UR-B	200	50	320	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100UR	100	50	200	142	115x100	85x72	11x19	5.5
Y125UR	125	50	240	165	115x100	85x72	11x19	5.5
Y150UR	150	50	280	190	115x100	85x72	11x19	5.5
Y200UR	200	50	320	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100AK	100	50	200	142	115x100	85x72	11x19	5.5
X125AK	125	50	240	165	115x100	85x72	11x19	5.5
X150AK	150	50	280	190	115x100	85x72	11x19	5.5
X200AK	200	50	320	240	115x100	85x72	11x19	5.5

➤ Wheel Material: Anti-skid PU or PVC tread bonded to polypropylene core.

➤ Bearing: Precision ball bearing 2xB6202.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100AK-B	100	50	200	142	115x100	85x72	11x19	5.5
X125AK-B	125	50	240	165	115x100	85x72	11x19	5.5
X150AK-B	150	50	280	190	115x100	85x72	11x19	5.5
X200AK-B	200	50	320	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100AK	100	50	200	142	115x100	85x72	11x19	5.5
Y125AK	125	50	240	165	115x100	85x72	11x19	5.5
Y150AK	150	50	280	190	115x100	85x72	11x19	5.5
Y200AK	200	50	320	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100HT	100	50	200	142	115x100	85x72	11x19	5.5
X125HT	125	50	240	165	115x100	85x72	11x19	5.5
X150HT	150	50	280	190	115x100	85x72	11x19	5.5
X200HT	200	50	320	240	115x100	85x72	11x19	5.5

Wheel Material: High Temperature (280°C) Resistant Glass-Fiber Nylon.

Bearing: Precision ball bearing 2xB6203.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100HT-B	100	50	200	142	115x100	85x72	11x19	5.5
X125HT-B	125	50	240	165	115x100	85x72	11x19	5.5
X150HT-B	150	50	280	190	115x100	85x72	11x19	5.5
X200HT-B	200	50	320	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100HT	100	50	200	142	115x100	85x72	11x19	5.5
Y125HT	125	50	240	165	115x100	85x72	11x19	5.5
Y150HT	150	50	280	190	115x100	85x72	11x19	5.5
Y200HT	200	50	320	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100CI	100	50	300	142	115x100	85x72	11x19	5.5
X125CI	125	50	350	165	115x100	85x72	11x19	5.5
X150CI	150	50	350	190	115x100	85x72	11x19	5.5
X200CI	200	50	400	240	115x100	85x72	11x19	5.5

Wheel Material: Cast iron.

High temperature resistant caster.

Bearing: Steel roller bearing $\varphi 30$.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X100CI-B	100	50	300	142	115x100	85x72	11x19	5.5
X125CI-B	125	50	350	165	115x100	85x72	11x19	5.5
X150CI-B	150	50	400	190	115x100	85x72	11x19	5.5
X200CI-B	200	50	450	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y100CI	100	50	300	142	115x100	85x72	11x19	5.5
Y125CI	125	50	350	165	115x100	85x72	11x19	5.5
Y150CI	150	50	400	190	115x100	85x72	11x19	5.5
Y200CI	200	50	450	240	115x100	85x72	11x19	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
X200AIR	210	62	120	257	115x100	85x72	11x19	5.5
X250AIR	260	85	150	312	115x100	85x72	11x19	5.5

Wheel: Pneumatic rubber tread, steel core.

Pneumatic rubber layer: 4PR

Bearing: Precision ball bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Y200AIR	210	62	120	257	115x100	85x72	11x19	5.5
Y250AIR	260	85	150	312	115x100	85x72	11x19	5.5

Medium duty Casters up to 150 KGs Capacity.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28UP75	75	32	100	106	93x64	74x44.5	9.2x12	3.0 2.5
28UP100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28UP125	125	32	150	155	93x64	74x44.5	9.2x12	3.0 2.5

Wheel Material: PU or PVC tread bonded to polypropylene core.

Bearing: Precision ball bearing 2x6001.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28UP75-B	75	32	100	106	93x64	74x44.5	9.2x12	3.0 2.5
28UP100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28UP125-B	125	32	150	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28UP75R	75	32	100	106	93x64	74x44.5	9.2x12	2.5
28UP100R	100	32	120	130	93x64	74x44.5	9.2x12	2.5
28UP125R	125	32	150	155	93x64	74x44.5	9.2x12	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28UP75T	75	32	100	106	M12	30	43	2.5
28UP100T	100	32	120	130	M12	30	40	2.5
28UP125T	125	32	150	155	M12	30	40	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28UP75T-B	75	32	100	106	M12	30	43	2.5
28UP100T-B	100	32	120	130	M12	30	40	2.5
28UP125T-B	125	32	150	155	M12	30	40	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28RP75	75	32	100	106	93x64	74x44.5	9.2x12	3.0 2.5
28RP100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28RP125	125	32	150	155	93x64	74x44.5	9.2x12	3.0 2.5

Wheel Material: PU or PVC tread bonded to polypropylene core.

Bearing: Precision ball bearing 2x6001.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28RP75-B	75	32	100	106	93x64	74x44.5	9.2x12	3.0 2.5
28RP100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28RP125-B	125	32	150	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28RP75R	75	32	100	106	93x64	74x44.5	9.2x12	2.5
28RP100R	100	32	120	130	93x64	74x44.5	9.2x12	2.5
28RP125R	125	32	150	155	93x64	74x44.5	9.2x12	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28RP75T	75	32	100	106	M12	30	43	2.5
28RP100T	100	32	120	130	M12	30	40	2.5
28RP125T	125	32	150	155	M12	30	40	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28RP75T-B	75	32	100	106	M12	30	43	2.5
28RP100T-B	100	32	120	130	M12	30	40	2.5
28RP125T-B	125	32	150	155	M12	30	40	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28TP75	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28TP100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28TP125	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5

➤ Wheel Material: Thermo plastic rubber tread bonded to polypropylene core. ➤ Bearing: Single bearing 1xB6002(3")/1xB6202(4",5").



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28TP75-B	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28TP100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28TP125-B	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28TPR75	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28TPR100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28TPR125	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5

➤ Wheel Material: Thermo plastic rubber tread bonded to polypropylene core. ➤ Bearing: Double ball bearing 2xB6001.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28TPR75-B	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28TPR100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28TPR125-B	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28TPR75R	75	32	90	106	93x64	74x44.5	9.2x12	2.5
28TPR100R	100	32	120	130	93x64	74x44.5	9.2x12	2.5
28TPR125R	125	32	140	155	93x64	74x44.5	9.2x12	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28TR75	75	32	100	106	93x64	74x44.5	9.2x12	3.0 2.5
28TR100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28TR125	125	32	150	155	93x64	74x44.5	9.2x12	3.0 2.5

➤ Wheel Material: Thermo plastic rubber tread bonded to polypropylene core. ➤ Bearing: Single bearing 1xB6002(3")/1xB6202(4",5").



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28TR75-B	75	32	100	106	93x64	74x44.5	9.2x12	3.0 2.5
28TR100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28TR125-B	125	32	150	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28TR75R	75	32	100	106	93x64	74x44.5	9.2x12	2.5
28TR100R	100	32	120	130	93x64	74x44.5	9.2x12	2.5
28TR125R	125	32	150	155	93x64	74x44.5	9.2x12	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28PU75	75	32	100	106	93x64	74x44.5	9.2x12	3.0 2.5
28PU100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28PU125	125	32	150	155	93x64	74x44.5	9.2x12	3.0 2.5

➤ Wheel Material: Polyurethane tread bonded to cast iron core. ➤ Bearing: Precision ball bearing 2xB6001.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28PU75-B	75	32	100	106	93x64	74x44.5	9.2x12	3.0 2.5
28PU100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28PU125-B	125	32	150	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28PU75R	75	32	100	106	93x64	74x44.5	9.2x12	2.5
28PU100R	100	32	120	130	93x64	74x44.5	9.2x12	2.5
28PU125R	125	32	150	155	93x64	74x44.5	9.2x12	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28ER75	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28ER100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28ER125	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5

➤ Wheel Material: Elastic rubber tread bonded to polypropylene core. ➤ Bearing: Precision ball bearing 2xB6001.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28ER75-B	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28ER100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28ER125-B	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28ER75R	75	32	90	106	93x64	74x44.5	9.2x12	2.5
28ER100R	100	32	120	130	93x64	74x44.5	9.2x12	2.5
28ER125R	125	32	140	155	93x64	74x44.5	9.2x12	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28BP75	75	32	100	106	93x64	74x44.5	9.2x12	3.0 2.5
28BP100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28BP125	125	32	150	155	93x64	74x44.5	9.2x12	3.0 2.5

➤ Wheel Material: PU or PVC tread bonded to polypropylene core. ➤ Bearing: Precision ball bearing 2xB6001.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28BP75-B	75	32	100	106	93x64	74x44.5	9.2x12	3.0 2.5
28BP100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28BP125-B	125	32	150	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28BP75R	75	32	100	106	93x64	74x44.5	9.2x12	2.5
28BP100R	100	32	120	130	93x64	74x44.5	9.2x12	2.5
28BP125R	125	32	150	155	93x64	74x44.5	9.2x12	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28GP75	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28GP100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28GP125	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5

➤ Wheel Material: PU or PVC tread bonded to polypropylene core. ➤ Bearing: Single bearing 1xB6002(3")/1xB6202(4",5").



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28GP75-B	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28GP100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28GP125-B	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28GP75R	75	32	90	106	93x64	74x44.5	9.2x12	2.5
28GP100R	100	32	120	130	93x64	74x44.5	9.2x12	2.5
28GP125R	125	32	140	155	93x64	74x44.5	9.2x12	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28PP75	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28PP100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28PP125	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5

> Wheel Material: Polypropylene.

> Bearing: Precision ball bearing 2xB6001.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28PP75-B	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28PP100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28PP125-B	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28PP75R	75	32	90	106	93x64	74x44.5	9.2x12	2.5
28PP100R	100	32	120	130	93x64	74x44.5	9.2x12	2.5
28PP125R	125	32	140	155	93x64	74x44.5	9.2x12	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28HT75	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28HT100	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28HT125	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5

> Wheel Material: High Temperature (280°C) Resistant Glass-Fiber Nylon.

> Bearing: Precision ball bearing 2xB6001.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28HT75-B	75	32	90	106	93x64	74x44.5	9.2x12	3.0 2.5
28HT100-B	100	32	120	130	93x64	74x44.5	9.2x12	3.0 2.5
28HT125-B	125	32	140	155	93x64	74x44.5	9.2x12	3.0 2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
28HT75R	75	32	90	106	93x64	74x44.5	9.2x12	2.5
28HT100R	100	32	120	130	93x64	74x44.5	9.2x12	2.5
28HT125R	125	32	140	155	93x64	74x44.5	9.2x12	2.5

> Other wheel Option: PU or PVC Tread bonded to polypropylene core



Other wheel Option: TPR Tread bonded to polypropylene core



>> Black Diamond Series Furniture Casters



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
DM40	40	20	40	60	60x43	45x30	6.2x9	1.8
DM50	50	24	55	72	70x51	53x35	8.2x11	1.8
DM65	63	30	80	92	94x64	73x44.5	9.2x12	2.8/2.5

> Wheel Material: PU or PVC tread bonded to PP core. > Finish: Black Electrophoresis. > Bearing: Double Ball Bearings.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
DM40-B	40	20	40	60	60x43	45x30	6.2x9	1.8
DM50-B	50	24	55	72	70x51	53x35	8.2x11	1.8
DM65-B	63	30	80	92	94x64	73x44.5	9.2x12	2.8/2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
DM40-R	40	20	40	60	60x43	45x30	6.2x9	1.8
DM50-R	50	24	55	72	70x51	53x35	8.2x11	1.8
DM65-R	63	30	80	92	94x64	73x44.5	9.2x12	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
DM40T	40	20	40	60	M8/10	15	16	1.8
DM50T	50	24	55	72	M10/12	15	20	1.8
DM65T	63	30	80	92	M10/12	25	24	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
DM40T-B	40	20	40	60	M8/10	15	16	1.8
DM50T-B	50	24	55	72	M10/12	15	20	1.8
DM65T-B	63	30	80	92	M10/12	25	24	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
DU40	40	20	40	60	60x43	45x30	6.2x9	1.8
DU50	50	24	55	72	70x51	53x35	8.2x11	1.8
DU65	63	30	80	92	94x64	73x44.5	9.2x12	2.8/2.5

> Wheel Material: PU or PVC bonded to PP core. > Finish: Black Electrophoresis. > Bearing: Double Ball Bearings.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
DU40-B	40	20	40	60	60x43	45x30	6.2x9	1.8
DU50-B	50	24	55	72	70x51	53x35	8.2x11	1.8
DU65-B	63	30	80	92	94x64	73x44.5	9.2x12	2.8/2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
DU40-R	40	20	40	60	60x43	45x30	6.2x9	1.8
DU50-R	50	24	55	72	70x51	53x35	8.2x11	1.8
DU65-R	63	30	80	92	94x64	73x44.5	9.2x12	2.5

>> Light Duty Casters



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GN25	25	13	10	34	38x33	30x24	4.8	1.2
GN30	32	13	15	40	38x33	30x24	4.8	1.2
GN38	40	17	20	50	47x40	36x28	5.1	1.2
GN50	50	20	30	65	60x48	45x35	6.2	1.5
GN65	65	25	40	83	70x58	55x42	7.0	1.5
GN75	75	25	50	92	70x58	55x42	8.2	2.0

> Wheel Material: Polypropylene.

> Color: White.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GN38-B	40	17	20	50	47x40	36x28	5.1	1.2
GN50-B	50	20	30	65	60x48	45x35	6.2	1.5
GN65-B	65	25	40	83	70x58	55x42	7.0	1.5
GN75-B	75	25	50	92	70x58	55x42	8.2	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GN25T	25	13	10	42	M8	15	14	1.2
GN30T	32	13	15	50	M8	15	16	1.2
GN38T	40	17	20	55	M8/M10	15	18	1.2
GN50T	50	20	30	70	M8/M10	15	21	1.5
GN65T	65	25	40	85	M10/M12	25	24	1.5
GN75T	75	25	50	96	M10/M12	25	28	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GN38T-B	40	17	20	55	M8/M10	15	18	1.2
GN50T-B	50	20	30	70	M8/M10	15	21	1.5
GN65T-B	65	25	40	85	M10/M12	25	24	1.5
GN75T-B	75	25	50	96	M10/M12	25	28	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GN25R	25	13	10	34	38x24	29	4.8	1.2
GN30R	32	13	15	40	38x24	29	4.8	1.2
GN38R	40	17	20	50	47x25	36x15	5.1	1.2
GN50R	50	20	30	65	60x36	45x25	6.2	1.5
GN65R	65	25	40	83	70x40	55x28	7.0	1.5
GN75R	75	25	50	92	70x40	55x28	8.2	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GP25	25	13	10	34	38x33	30x24	4.8	1.2
GP30	32	13	15	40	38x33	30x24	4.8	1.2
GP38	40	17	20	50	47x40	36x28	5.1	1.2
GP50	50	20	30	65	60x48	45x35	6.2	1.5
GP65	65	25	40	83	70x58	55x42	7.0	1.5
GP75	75	25	50	92	70x58	55x42	8.2	2.0

> Wheel Material: Polypropylene.

> Color: Black.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GP38-B	40	17	20	50	47x40	36x28	5.1	1.2
GP50-B	50	20	30	65	60x48	45x35	6.2	1.5
GP65-B	65	25	40	83	70x58	55x42	7.0	1.5
GP75-B	75	25	50	92	70x58	55x42	8.2	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GP25T	25	13	10	42	M8	15	14	1.2
GP30T	32	13	15	50	M8	15	16	1.2
GP38T	40	17	20	55	M8/M10	15	18	1.2
GP50T	50	20	30	70	M8/M10	15	21	1.5
GP65T	65	25	40	85	M10/M12	25	24	1.5
GP75T	75	25	50	96	M10/M12	25	28	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GP38T-B	40	17	20	55	M8/M10	15	18	1.2
GP50T-B	50	20	30	70	M8/M10	15	21	1.5
GP65T-B	65	25	40	85	M10/M12	25	24	1.5
GP75T-B	75	25	50	96	M10/M12	25	28	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GP25R	25	13	10	34	38x24	29	4.8	1.2
GP30R	32	13	15	40	38x24	29	4.8	1.2
GP38R	40	17	20	50	47x25	36x15	5.1	1.2
GP50R	50	20	30	65	60x36	45x25	6.2	1.5
GP65R	65	25	40	83	70x40	55x28	7.0	1.5
GP75R	75	25	50	92	70x40	55x28	8.2	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GR25	25	13	10	34	38x33	30x24	4.8	1.2
GR30	32	13	15	40	38x33	30x24	4.8	1.2
GR38	40	17	20	50	47x40	36x28	5.1	1.2
GR50	50	20	30	65	60x48	45x35	6.2	1.5
GR65	65	25	40	83	70x58	55x42	7.0	1.5
GR75	75	25	50	92	70x58	55x42	8.2	2.0

Wheel Material: Black Rubber.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GR38-B	40	17	20	50	47x40	36x28	5.1	1.2
GR50-B	50	20	30	65	60x48	45x35	6.2	1.5
GR65-B	65	25	40	83	70x58	55x42	7.0	1.5
GR75-B	75	25	50	92	70x58	55x42	8.2	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GR25T	25	13	10	42	M8	15	14	1.2
GR30T	32	13	15	50	M8	15	16	1.2
GR38T	40	17	20	55	M8/M10	15	18	1.2
GR50T	50	20	30	70	M8/M10	15	21	1.5
GR65T	65	25	40	85	M10/M12	25	24	1.5
GR75T	75	25	50	96	M10/M12	25	28	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GR38T-B	40	17	20	55	M8/M10	15	18	1.2
GR50T-B	50	20	30	70	M8/M10	15	21	1.5
GR65T-B	65	25	40	85	M10/M12	25	24	1.5
GR75T-B	75	25	50	96	M10/M12	25	28	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GR25R	25	13	10	34	38x24	29	4.8	1.2
GR30R	32	13	15	40	38x24	29	4.8	1.2
GR38R	40	17	20	50	47x25	36x15	5.1	1.2
GR50R	50	20	30	65	60x36	45x25	6.2	1.5
GR65R	65	25	40	83	70x40	55x28	7.0	1.5
GR75R	75	25	50	92	70x40	55x28	8.2	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GV25	25	13	10	34	38x33	30x24	4.8	1.2
GV30	32	13	15	40	38x33	30x24	4.8	1.2
GV38	40	17	20	50	47x40	36x28	5.1	1.2
GV50	50	20	30	65	60x48	45x35	6.2	1.5
GV65	65	25	40	83	70x58	55x42	7.0	1.5
GV75	75	25	50	92	70x58	55x42	8.2	2.0

Wheel Material: PVC or PP tread bonded to Polypropylene core.

Different color wheel available.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GV38-B	40	17	20	50	47x40	36x28	5.1	1.2
GV50-B	50	20	30	65	60x48	45x35	6.2	1.5
GV65-B	65	25	40	83	70x58	55x42	7.0	1.5
GV75-B	75	25	50	92	70x58	55x42	8.2	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GV25T	25	13	10	42	M8	15	14	1.2
GV30T	32	13	15	50	M8	15	16	1.2
GV38T	40	17	20	55	M8/M10	15	18	1.2
GV50T	50	20	30	70	M8/M10	15	21	1.5
GV65T	65	25	40	85	M10/M12	25	24	1.5
GV75T	75	25	50	96	M10/M12	25	28	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GV38T-B	40	17	20	55	M8/M10	15	18	1.2
GV50T-B	50	20	30	70	M8/M10	15	21	1.5
GV65T-B	65	25	40	85	M10/M12	25	24	1.5
GV75T-B	75	25	50	96	M10/M12	25	28	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GV25R	25	13	10	34	38x24	29	4.8	1.2
GV30R	32	13	15	40	38x24	29	4.8	1.2
GV38R	40	17	20	50	47x25	36x15	5.1	1.2
GV50R	50	20	30	65	60x36	45x25	6.2	1.5
GV65R	65	25	40	83	70x40	55x28	7.0	1.5
GV75R	75	25	50	92	70x40	55x28	8.2	2.0

>> Twin Wheel Furniture Casters



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TP50	50	19	70	73	60x60	42x42	6.2x12	2.0
TP75	75	22	100	104	77x67	55x48	8.1x14	2.5

> Wheel Material: Black Polypropylene. > Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TP50-B	50	19	70	73	60x60	42x42	6.2x12	2.0
TP75-B	75	22	100	104	77x67	55x48	8.1x14	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
TP50H	50	19	70	73	10.5	30	2.0
TP75H	75	22	100	104	12.5	34	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
TP50H-B	50	19	70	73	10.5	30	2.0
TP75H-B	75	22	100	104	12.5	34	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TW50	50	19	70	73	60x60	42x42	6.2x12	2.0
TW75	75	22	100	104	77x67	55x48	8.1x14	2.5

> Wheel Material: Thermo Plastic Rubber tread bonded to polypropylene core. > Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TW50-B	50	19	70	73	60x60	42x42	6.2x12	2.0
TW75-B	75	22	100	104	77x67	55x48	8.1x14	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
TW50H	50	18	70	73	10.5	30	2.0
TW75H	75	22	100	104	12.5	34	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
TW50H-B	50	19	70	73	10.5	30	2.0
TW75H-B	75	22	100	104	12.5	34	2.5

> Fat PP Wheel Furniture Casters



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
FP50	50	24	60	64	66x48	54x24	6.2	1.8
FP65	65	25	80	82	98x70	76x44.5	6.2	2.3
FP75	75	31	100	97	105x80	84x36	8.5	2.3
FP100	100	32	140	127	130x102	102x78	8.5	2.5

> Wheel Material: Polypropylene. > Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
FP50-B	50	24	60	64	66x48	54x24	6.2	1.8
FP65-B	65	25	80	82	98x70	76x44.5	6.2	2.3
FP75-B	75	31	100	97	105x80	84x36	8.5	2.3
FP100-B	100	32	140	127	130x102	102x78	8.5	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
FP50R	50	24	60	64	66x42	54x24	6.2	1.8
FP65R	65	25	80	82	98x55	82x25	6.2	2.0
FP75R	75	31	100	97	103x61	84x36	8.5	2.3
FP100R	100	32	140	127	130x69	110x38	8.5	2.5

>> Institutional Casters



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SP50	50	19	40	72	50x50 60x60	35x35 43x43	6.2x12	1.5
SP75	75	23	60	102	60x60 65x65	43x43 48x48	6.2x12 8.2x15	2.0
SP100	100	27	80	134	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0
SP125	125	27	100	157	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0

> Wheel Material: PVC tread bonded to polypropylene core. > Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SP50-B	50	19	40	72	50x50 60x60	35x35 43x43	6.2x12	1.5
SP75-B	75	23	60	102	60x60 65x65	43x43 48x48	6.2x12 8.2x15	2.0
SP100-B	100	27	80	134	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0
SP125-B	125	27	100	157	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SP50R	50	19	40	72	65x48 50x50/60x60	52x33 35x35/43x43	6.2	1.5
SP75R	75	23	60	102	100x59 60x60/65x65	80.5x40 43x43/48x48	6.2 8.2	2.0
SP100R	100	27	80	134	100x59 75x75/77x67	80.5x40 55x55/58x48	8.2	2.5/2.0
SP125R	125	27	100	157	100x59 75x75/77x67	80.5x40 55x55/58x48	8.2	2.5/2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SP50H	50	19	40	72	10.5	24	1.5	
SP75H	75	23	60	102	10.5	28	2.0	
SP100H	100	27	80	134	10.5/12.5	33	2.0	
SP125H	125	27	100	157	10.5/12.5	37	2.0	



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SP50H-B	50	19	40	72	10.5	24	1.5	
SP75H-B	75	23	60	102	10.5	28	2.0	
SP100H-B	100	27	80	134	10.5/12.5	33	2.0	
SP125H-B	125	27	100	157	10.5/12.5	37	2.0	



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SV50	50	19	40	72	50x50 60x60	35x35 43x43	6.2x12	1.5
SV75	75	23	60	102	60x60 65x65	43x43 48x48	6.2x12 8.2x15	2.0
SV100	100	27	80	134	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0
SV125	125	27	100	157	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0

> Wheel Material: PVC or PP tread bonded to Polypropylene core. > Different color wheel available. > Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SV50-B	50	19	40	72	50x50 60x60	35x35 43x43	6.2x12	1.5
SV75-B	75	23	60	102	60x60 65x65	43x43 48x48	6.2x12 8.2x15	2.0
SV100-B	100	27	80	134	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0
SV125-B	125	27	100	157	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SV50R	50	19	40	72	65x48 50x50/60x60	52x33 35x35/43x43	6.2	1.5
SV75R	75	23	60	102	100x59 60x60/65x65	80.5x40 43x43/48x48	6.2 8.2	2.0
SV100R	100	27	80	134	100x59 75x75/77x67	80.5x40 55x55/58x48	8.2	2.5/2.0
SV125R	125	27	100	157	100x59 75x75/77x67	80.5x40 55x55/58x48	8.2	2.5/2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SV50H	50	19	40	72	10.5	24	1.5	
SV75H	75	23	60	102	10.5	28	2.0	
SV100H	100	27	80	134	10.5/12.5	33	2.0	
SV125H	125	27	100	157	10.5/12.5	37	2.0	



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SV50H-B	50	19	40	72	10.5	24	1.5	
SV75H-B	75	23	60	102	10.5	28	2.0	
SV100H-B	100	27	80	134	10.5/12.5	33	2.0	
SV125H-B	125	27	100	157	10.5/12.5	37	2.0	



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ST50	50	19	40	72	50x50 60x60	35x35 43x43	6.2x12	1.5
ST75	75	23	60	102	60x60 65x65	43x43 48x48	6.2x12 8.2x15	2.0
ST100	100	27	80	134	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0
ST125	125	27	100	157	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0

➤ Wheel Material: Thermo plastic rubber tread bonded to polypropylene core. ➤ Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ST50-B	50	19	40	72	50x50 60x60	35x35 43x43	6.2x12	1.5
ST75-B	75	23	60	102	60x60 65x65	43x43 48x48	6.2x12 8.2x15	2.0
ST100-B	100	27	80	134	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0
ST125-B	125	27	100	157	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ST50R	50	19	40	72	65x48 50x50/60x60	52x33 35x35/43x43	6.2	1.5
ST75R	75	23	60	102	100x59 60x60/65x65	80.5x40 43x43/48x48	6.2 8.2	2.0
ST100R	100	27	80	134	100x59 75x75/77x67	80.5x40 55x55/58x48	8.2	2.5/2.0
ST125R	125	27	100	157	100x59 75x75/77x67	80.5x40 55x55/58x48	8.2	2.5/2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ST50H	50	19	40	72		10.5	24	1.5
ST75H	75	23	60	102		10.5	28	2.0
ST100H	100	27	80	134		10.5/12.5	33	2.0
ST125H	125	27	100	157		10.5/12.5	37	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ST50H-B	50	19	40	72		10.5	24	1.5
ST75H-B	75	23	60	102		10.5	28	2.0
ST100H-B	100	27	80	134		10.5/12.5	33	2.0
ST125H-B	125	27	100	157		10.5/12.5	37	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
Sr50	50	19	40	72	50x50 60x60	35x35 43x43	6.2x12	1.5
Sr75	75	23	60	102	60x60 65x65	43x43 48x48	6.2x12 8.2x15	2.0
Sr100	100	27	80	134	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0
Sr125	125	27	100	157	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0

➤ Wheel Material: Rubber tread bonded to polypropylene core. ➤ Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SR50-B	50	19	40	72	50x50 60x60	35x35 43x43	6.2x12	1.5
SR75-B	75	23	60	102	60x60 65x65	43x43 48x48	6.2x12 8.2x15	2.0
SR100-B	100	27	80	134	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0
SR125-B	125	27	100	157	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SR50R	50	19	40	72	65x48 50x50/60x60	52x33 35x35/43x43	6.2	1.5
SR75R	75	23	60	102	100x59 60x60/65x65	80.5x40 43x43/48x48	6.2 8.2	2.0
SR100R	100	27	80	134	100x59 75x75/77x67	80.5x40 55x55/58x48	8.2	2.5/2.0
SR125R	125	27	100	157	100x59 75x75/77x67	80.5x40 55x55/58x48	8.2	2.5/2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SR50H	50	19	40	72		10.5	24	1.5
SR75H	75	23	60	102		10.5	28	2.0
SR100H	100	27	80	134		10.5/12.5	33	2.0
SR125H	125	27	100	157		10.5/12.5	37	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SR50H-B	50	19	40	72		10.5	24	1.5
SR75H-B	75	23	60	102		10.5	28	2.0
SR100H-B	100	27	80	134		10.5/12.5	33	2.0
SR125H-B	125	27	100	157		10.5/12.5	37	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SG50	50	19	40	72	50x50 60x60	35x35 43x43	6.2x12	1.5
SG75	75	23	60	102	60x60 65x65	43x43 48x48	6.2x12 8.2x15	2.0
SG100	100	27	80	134	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0
SG125	125	27	100	157	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0

> Wheel Material: Polypropylene.

> Color: Gray, White, Black, etc.

> Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SG50-B	50	19	40	72	50x50 60x60	35x35 43x43	6.2x12	1.5
SG75-B	75	23	60	102	60x60 65x65	43x43 48x48	6.2x12 8.2x15	2.0
SG100-B	100	27	80	134	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0
SG125-B	125	27	100	157	75x75 77x67	55x55 58x48	8.2x15	2.5/2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
SG50H	50	19	40	72	10.5	24	1.5
SG75H	75	23	60	102	10.5	28	2.0
SG100H	100	27	80	134	10.5/12.5	33	2.0
SG125H	125	27	100	157	10.5/12.5	37	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
SG50H-B	50	19	40	72	10.5	24	1.5
SG75H-B	75	23	60	102	10.5	28	2.0
SG100H-B	100	27	80	134	10.5/12.5	33	2.0
SG125H-B	125	27	100	157	10.5/12.5	37	2.0

>> Industrial Casters



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IR75	75	23	50	95	81x67	60x45	8.5x13	1.8
IR85	85	24	65	105	100x80	80x60	8.5x13	2.0
IR100	100	27	80	130	100x80	80x60	8.1x15	2.0
IR125	125	35	100	155	100x80	80x60	8.1x15	2.0
IR160	160	40	150	192	134x105	105x75	12.2x16	2.5
IR200	200	50	200	233	134x105	105x75	12.2x16	2.5

> Wheel Material: Black rubber tread on steel core.

> Bearing: Roller bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IR75-B	75	23	50	95	81x67	60x45	8.5x13	1.8
IR85-B	85	24	65	105	100x80	80x60	8.5x13	2.0
IR100-B	100	27	80	130	100x80	80x60	8.1x15	2.0
IR125-B	125	35	100	155	100x80	80x60	8.1x15	2.0
IR160-B	160	40	150	192	134x105	105x75	12.2x16	2.5
IR200-B	200	50	200	233	134x105	105x75	12.2x16	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IR75R	75	23	50	95	81x67	60x45	8.5x13	1.8
IR85R	85	24	65	105	100x80	80x60	8.5x13	2.0
IR100R	100	27	80	130	100x80	80x60	8.1x15	2.0
IR125R	125	35	100	155	100x80	80x60	8.1x15	2.0
IR160R	160	40	150	192	134x105	105x75	12.2x16	2.5
IR200R	200	50	200	233	134x105	105x75	12.2x16	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
IR75H	75	23	50	95	8.5	28	1.8
IR85H	85	24	65	105	10.5/12.5	32	2.0
IR100H	100	27	80	130	10.5/12.5	34	2.0
IR125H	125	35	100	155	10.5/12.5	35	2.0
IR160H	160	40	150	192	12.5	50	2.5
IR200H	200	50	200	233	12.5	52	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
IR75H-B	75	23	50	95	8.5	28	1.8
IR85H-B	85	24	65	105	10.5/12.5	32	2.0
IR100H-B	100	27	80	130	10.5/12.5	34	2.0
IR125H-B	125	35	100	155	10.5/12.5	35	2.0
IR160H-B	160	40	150	192	12.5	50	2.5
IR200H-B	200	50	200	233	12.5	52	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
IR75T	75	23	50	95	M10/12	30	1.8
IR85T	85	24	65	105	M10/12	30	2.0
IR100T	100	27	80	130	M12	30	2.0
IR125T	125	35	100	155	M12	30	2.0
IR160T	160	40	150	192	M16	30	2.5
IR200T	200	50	200	233	M16	30	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
IR75T-B	75	23	50	95	M10/12	30	1.8
IR85T-B	85	24	65	105	M10/12	30	2.0
IR100T-B	100	27	80	130	M12	30	2.0
IR125T-B	125	35	100	155	M12	30	2.0
IR160T-B	160	40	150	192	M16	30	2.5
IR200T-B	200	50	200	233	M16	30	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
IER75	75	32	70	95	81x67	60x45	8.5x13
IER100	100	36	100	130	100x80	80x60	8.1x15
IER125	125	40	125	155	100x80	80x60	8.1x15
IER160	160	50	180	192	134x105	105x75	12.2x16
IER200	200	50	250	233	134x105	105x75	12.2x16

Wheel Material: Elastic rubber tread.

Bearing: Roller bearing/double ball bearings.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
IER75-B	75	32	70	95	81x67	60x45	8.5x13
IER100-B	100	36	100	130	100x80	80x60	8.1x15
IER125-B	125	40	125	155	100x80	80x60	8.1x15
IER160-B	160	50	180	192	134x105	105x75	12.2x16
IER200-B	200	50	250	233	134x105	105x75	12.2x16



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
IER75R	75	32	70	95	81x67	60x45	8.5x13
IER100R	100	36	100	130	100x80	80x60	8.1x15
IER125R	125	40	125	155	100x80	80x60	8.1x15
IER160R	160	50	180	192	134x105	105x75	12.2x16
IER200R	200	50	250	233	134x105	105x75	12.2x16



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
IP75	75	32	70	95	81x67	60x45	8.5x13
IP100	100	32	100	130	100x80	80x60	8.1x15
IP125	125	37	125	155	100x80	80x60	8.1x15
IP150	152	40	180	192	134x105	105x75	12.2x16
IP200	200	45	250	233	134x105	105x75	12.2x16

Wheel Material: Polypropylene.

Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
IP75-B	75	32	70	95	81x67	60x45	8.5x13
IP100-B	100	32	100	130	100x80	80x60	8.1x15
IP125-B	125	37	125	155	100x80	80x60	8.1x15
IP150-B	152	40	180	192	134x105	105x75	12.2x16
IP200-B	200	45	250	233	134x105	105x75	12.2x16



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IP75R	75	32	70	95	81x67	60x45	8.5x13	1.8
IP100R	100	32	100	130	100x80	80x60	8.1x15	2.0
IP125R	125	37	125	155	100x80	80x60	8.1x15	2.0
IP150R	152	40	180	192	134x105	105x75	12.2x16	2.5
IP200R	200	45	250	233	134x105	105x75	12.2x16	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IPU75	75	30	80	95	81x67	60x45	8.5x13	1.8
IPU100	100	32	110	130	100x80	80x60	8.1x15	2.0
IPU125	125	38	150	155	100x80	80x60	8.1x15	2.0
IPU160	160	40	200	192	134x105	105x75	12.2x16	2.5
IPU200	200	50	260	233	134x105	105x75	12.2x16	2.5

➤ Wheel Material: PU or PVC tread bonded to Polypropylene core. ➤ Color: Red, Brown, etc ➤ Bearing: Plain/Roller bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IPU75-B	75	30	80	95	81x67	60x45	8.5x13	1.8
IPU100-B	100	32	110	130	100x80	80x60	8.1x15	2.0
IPU125-B	125	38	150	155	100x80	80x60	8.1x15	2.0
IPU160-B	160	40	200	192	134x105	105x75	12.2x16	2.5
IPU200-B	200	50	260	233	134x105	105x75	12.2x16	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IPU75R	75	30	80	95	81x67	60x45	8.5x13	1.8
IPU100R	100	32	110	130	100x80	80x60	8.1x15	2.0
IPU125R	125	38	150	155	100x80	80x60	8.1x15	2.0
IPU160R	160	40	200	192	134x105	105x75	12.2x16	2.5
IPU200R	200	50	260	233	134x105	105x75	12.2x16	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ITP75	75	27	60	95	81x67	60x45	8.5x13	1.8
ITP100	100	32	100	130	100x80	80x60	8.1x15	2.0
ITP125	125	32	120	155	100x80	80x60	8.1x15	2.0

➤ Wheel Material: TPR tread bonded to polypropylene core. ➤ Bearing: Single bearing 1xB6002(3")/1xB6202(4",5").



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ITP75-B	75	27	60	95	81x67	60x45	8.5x13	1.8
ITP100-B	100	32	100	130	100x80	80x60	8.1x15	2.0
ITP125-B	125	32	120	155	100x80	80x60	8.1x15	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ITP75R	75	27	60	95	81x67	60x45	8.5x13	1.8
ITP100R	100	32	100	130	100x80	80x60	8.1x15	2.0
ITP125R	125	32	120	155	100x80	80x60	8.1x15	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IR75H	75	27	60	95	8.5	28	1.8	
IR100H	100	32	100	130	10.5/12.5	34	2.0	
IR125H	125	32	120	155	10.5/12.5	35	2.0	



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IR75H-B	75	27	60	95	8.5	28	1.8	
IR100H-B	100	32	100	130	10.5/12.5	34	2.0	
IR125H-B	125	32	120	155	10.5/12.5	35	2.0	



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IPV75	75	27	60	95	81x67	60x45	8.5x13	1.8
IPV100	100	32	100	130	100x80	80x60	8.1x15	2.0
IPV125	125	32	120	155	100x80	80x60	8.1x15	2.0

> Wheel Material: PU or PVC tread bonded to polypropylene core. > Bearing: Single bearing 1xB6201(3")/1xB6202(4",5").



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IPV75-B	75	27	60	95	81x67	60x45	8.5x13	1.8
IPV100-B	100	32	100	130	100x80	80x60	8.1x15	2.0
IPV125-B	125	32	120	155	100x80	80x60	8.1x15	2.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
IPV75R	75	27	60	95	81x67	60x45	8.5x13	1.8
IPV100R	100	32	100	130	100x80	80x60	8.1x15	2.0
IPV125R	125	32	120	155	100x80	80x60	8.1x15	2.0

>> European type industrial Castors



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ER80	80	35	120	108	100x82	80x60	8.8x12.4	Plate:3.0 Fork:3.0/2.5
ER100	100	36	150	128	100x82	80x60	8.8x12.4	
ER125	125	38	200	155	100x82	80x60	8.8x12.4	
ER160	160	50	250	195	134x110	105x80	11x16	Plate:4.0 Fork:3.0
ER200	200	50	300	240	134x110	105x80	11x16	

> Wheel Material: Elastic rubber tread. > Bearing: Roller bearing or Double ball bearings.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ER80-B	80	35	120	108	100x82	80x60	8.8x12.4	Plate:3.0 Fork:3.0/2.5
ER100-B	100	36	150	128	100x82	80x60	8.8x12.4	
ER125-B	125	38	200	155	100x82	80x60	8.8x12.4	
ER160-B	160	50	250	195	134x110	105x80	11x16	Plate:4.0 Fork:3.0
ER200-B	200	50	300	240	134x110	105x80	11x16	



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
ER80R	80	35	120	108	100x82	80x60	8.8x12.4	2.5
ER100R	100	36	150	128	100x82	80x60	8.8x12.4	2.5
ER125R	125	38	200	155	100x82	80x60	8.8x12.4	2.5
ER160R	160	50	250	195	134x110	105x80	11x16	3.0
ER200R	200	50	300	240	134x110	105x80	11x16	3.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
EP80	80	32	120	108	100x82	80x60	8.8x12.4	Plate:3.0 Fork:3.0/2.5
EP100	100	35	150	128	100x82	80x60	8.8x12.4	
EP125	125	40	200	155	100x82	80x60	8.8x12.4	
EP160	160	45	250	195	134x110	105x80	11x16	Plate:4.0 Fork:3.0
EP200	200	50	300	240	134x110	105x80	11x16	

> Wheel Material: Polypropylene or Nylon. > Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
EP80-B	80	32	120	108	100x82	80x60	8.8x12.4	Plate:3.0 Fork:3.0/2.5
EP100-B	100	35	150	128	100x82	80x60	8.8x12.4	
EP125-B	125	40	200	155	100x82	80x60	8.8x12.4	
EP160-B	160	45	250	195	134x110	105x80	11x16	Plate:4.0 Fork:3.0
EP200-B	200	50	300	240	134x110	105x80	11x16	



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
EA80R	80	30	120	108	100x82	80x60	8.8x12.4	2.5
EA100R	100	30	150	128	100x82	80x60	8.8x12.4	2.5
EA125R	125	30	200	155	100x82	80x60	8.8x12.4	2.5
EA160R	160	45	250	195	134x110	105x80	11x16	3.0
EA200R	200	50	300	240	134x110	105x80	11x16	3.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
EP80R	80	32	120	108	100x82	80x60	8.8x12.4	2.5
EP100R	100	35	150	128	100x82	80x60	8.8x12.4	2.5
EP125R	125	40	200	155	100x82	80x60	8.8x12.4	2.5
EP160R	160	45	250	195	134x110	105x80	11x16	3.0
EP200R	200	50	300	240	134x110	105x80	11x16	3.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
EU80	80	35	130	108	105x80	80x60	8.8x12.4	Plate:3.0 Fork:3.0
EU100	100	36	160	128	105x80	80x60	8.8x12.4	
EU125	125	38	220	155	105x80	80x60	8.8x12.4	
EU160	160	50	280	195	134x110	105x80	11x16	Plate:4.0 Fork:3.0
EU200	200	50	350	240	134x110	105x80	11x16	

> Wheel Material: Polyurethane tread bonded to cast iron core.

> Bearing: Double ball bearings.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
EA80	80	30	120	108	100x82	80x60	8.8x12.4	Plate:3.0 Fork:3.0/2.5
EA100	100	30	150	128	100x82	80x60	8.8x12.4	
EA125	125	30	200	155	100x82	80x60	8.8x12.4	
EA160	160	45	250	195	134x110	105x80	11x16	Plate:4.0 Fork:3.0
EA200	200	50	300	240	134x110	105x80	11x16	

> Wheel Material: Polyurethane bonded on Polypropylene core.

> Color: Red, Brown, etc.

> Bearing: Plain/Roller bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
EU80-B	80	35	130	108	105x80	80x60	8.8x12.4	Plate:3.0 Fork:3.0
EU100-B	100	36	160	128	105x80	80x60	8.8x12.4	
EU125-B	125	38	220	155	105x80	80x60	8.8x12.4	
EU160-B	160	50	280	195	134x110	105x80	11x16	Plate:4.0 Fork:3.0
EU200-B	200	50	350	240	134x110	105x80	11x16	



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
EA80-B	80	30	120	108	100x82	80x60	8.8x12.4	Plate:3.0 Fork:3.0/2.5
EA100-B	100	30	150	128	100x82	80x60	8.8x12.4	
EA125-B	125	30	200	155	100x82	80x60	8.8x12.4	
EA160-B	160	45	250	195	134x110	105x80	11x16	Plate:4.0 Fork:3.0
EA200-B	200	50	300	240	134x110	105x80	11x16	



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
EU80R	80	35	130	108	105x80	80x60	8.8x12.4	2.5
EU100R	100	36	160	128	105x80	80x60	8.8x12.4	2.5
EU125R	125	38	220	155	105x80	80x60	8.8x12.4	2.5
EU160R	160	50	280	195	134x110	105x80	11x16	3.0
EU200R	200	50	350	240	134x110	105x80	11x16	3.0

>> Scaffolding Caster



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SC150PU	150	50	350	190	35/38	100	36	5.5
SC200PU	200	50	400	235	35/38	100	42	5.5

> Wheel Material: Polyurethane tread bonded to cast iron core. > Bearing: Dual ball bearings 2x B6203.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SC150PU-U	150	50	350	190	60/54	115	36	5.5
SC200PU-U	200	50	400	235	60/54	115	42	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SC150NY	150	44	300	190	35/38	100	36	5.5
SC200NY	200	44	350	235	35/38	100	42	5.5

> Wheel Material: Polypropylene. > Bearing: Dual ball bearings 2x B6203.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SC150NY-U	150	44	300	190	60/54	115	36	5.5
SC200NY-U	200	44	350	235	60/54	115	42	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SC150BR	150	50	300	190	35/38	100	36	5.5
SC200BR	200	50	350	235	35/38	100	42	5.5

> Wheel Material: Black rubber tread bonded to cast iron core. > Bearing: Roller bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SC150BR-U	150	50	300	190	60/54	115	36	5.5
SC200BR-U	200	50	350	235	60/54	115	42	5.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SK160BR-U	150	50	150	180	60/54	115	32	2.5
SK200BR-U	200	50	200	230	60/54	115	36	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SK160IR-U	160	40	150	187	60/54	115	32	2.5
SK200IR-U	200	45	200	230	60/54	115	36	2.5



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
SK160IR	160	40	150	187	35/38	100	32	2.5
SK200IR	200	45	200	230	35/38	100	36	2.5

> Wheel Material: Polypropylene. > Bearing: Dual ball bearings 2x B6203.

>> Extra Heavy Duty Casters



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TT150PU	150	55	800	197	140x110	110x75	13x22	Plate: 10 Fork: 8
TT200PU	200	55	1000	248	170x130	135x90	13x22	

> Wheel Material: Polyurethane tread bonded to cast iron core. > Bearing: Dual ball bearings.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TT150PU-B	150	55	800	197	140x110 170x130	110x75 135x90	13x22	Plate: 10 Fork: 8
TT200PU-B	200	55	1000	248				



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TT150PU-R	150	55	800	197	140x110 170x130	110x75 135x90	13x22	Plate: 10 Fork: 8
TT200PU-R	200	55	1000	248				



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TT150NY	150	55	800	197	140x110 170x130	110x75 135x90	13x22	Plate: 10 Fork: 8
TT200NY	200	55	1000	248				

> Wheel Material: Cast Nylon.

> Bearing: Dual ball bearings.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TT150NY-B	150	55	800	197	140x110 170x130	110x75 135x90	13x22	Plate: 10 Fork: 8
TT200NY-B	200	55	1000	248				



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TT150NY-R	150	55	800	197	140x110 170x130	110x75 135x90	13x22	Plate: 10 Fork: 8
TT200NY-R	200	55	1000	248				

>> Waste Bin Container Caster



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GB160E	160	40	180	197	135x110	105x80	11x17.5	3.5 3.0
GB200E	200	50	230	238	135x110	105x80	11x17.5	3.5 3.0

> Wheel Material: Black rubber on Polypropylene core.

> Housing Color: Blue-white, Gold.

> Bearing: Plain bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GB160E-B	160	40	180	197	135x110	105x80	11x17.5	3.5 3.0
GB200E-B	200	50	230	238	135x110	105x80	11x17.5	3.5 3.0

> Brake Type: Total Brake Device.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GB160	160	40	180	197	135x110	105x80	11x17.5	3.5 3.0
GB200	200	50	230	238	135x110	105x80	11x17.5	3.5 3.0

> Wheel Material: Black rubber on steel core.

> Bearing: Roller bearings.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
GB160-B	160	40	180	197	135x110	105x80	11x17.5	3.5 3.0
GB200-B	200	50	230	238	135x110	105x80	11x17.5	3.5 3.0

> Brake Type: Total Brake Device.

» Heavy Duty Low Gravity Center Caster



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
LG50	50	30	100	70	72x54	55x38	8x10.5	2.5 2.5
LG65	65	40	180	90	95x68	72x43	9x12	3.0 3.0
LG75	75	45	250	105	105x80	83x60	9x11	3.5 3.0

» Wheel Material: Nylon. » Finish: Black Electrophoretic. » Bearing: Plain bearing/Dual ball bearings.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
LG50-B	50	30	100	70	72x54	55x38	8x10.5	2.5 2.5
LG65-B	65	40	180	90	95x68	72x43	9x12	3.0 3.0
LG75-B	75	45	250	105	105x80	83x60	9x11	3.5 3.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
LG50-R	50	30	100	70	72x54	55x38	8x10.5	2.5
LG65-R	65	40	180	90	95x68	72x43	9x12	3.0
LG75-R	75	45	250	105	105x80	83x60	9x11	3.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
LG50T	50	30	100	70	M10/12	25	28	2.5
LG65T	65	40	180	90	M12/16	30	31	3.0
LG75T	75	45	250	105	M12/16	30	32	3.0



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
LG50T-B	50	30	100	70	M10/12	25	28	2.5
LG65T-B	65	40	180	90	M12/16	30	31	3.0
LG75T-B	75	45	250	105	M12/16	30	32	3.0

» Transparent Wheel Furniture Caster



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TP50	35	24	20	51	42x42	32x32	4.5	1.8
TP50	50	21	30	65	42x42	32x32	4.5	1.8
TP75	75	23	40	98	60x60	45x45	6.5x8.5	1.8

» Wheel Material: Transparent Polyurethane. » Finish: Chrome Plated. » Bearing: Plain Bearing.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TP50-B	35	24	20	51	42x42	32x32	4.5	1.8
TP50-B	50	21	30	65	42x42	32x32	4.5	1.8
TP75-B	75	23	40	98	60x60	45x45	6.5x8.5	1.8



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TP50T	35	24	20	51	M8/10	15	14	1.8
TP65T	50	21	30	65	M8/10	15	18	1.8
TP75T	75	23	40	98	M8/10	15/25	22	1.8



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TP50T-B	35	24	20	51	M8/10	15	14	1.8
TP65T-B	50	21	30	65	M8/10	15	18	1.8
TP75T-B	75	23	40	98	M8/10	15/25	22	1.8



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TB50C	50	24	35	66	11	22	14	1.8
TB65C	64	24	40	82	11	22	18	1.8
TB75C	75	24	45	95	11	22	22	1.8

» Wheel Material: Transparent Polyurethane. » Finish: Black Electrophoresis. » Bearing: Double Ball Bearings.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
TB50C-B	50	24	35	66	11	22	14	1.8
TB65C-B	64	24	40	82	11	22	18	1.8
TB75C-B	75	24	45	95	11	22	22	1.8

» Ball Wheel Furniture Caster



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
BC40	40	\	30	50	38x38	26x26	5	1.2
BC50	50	\	35	60	38x38	26x26	5	1.2

» Wheel Material: TPR Tread bonded to PP core.

» Finish: Chrome/Zinc.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
BC40T	40	\	30	50	M8/10	15	24	1.2
BC50T	50	\	35	60	M8/10	15	28	1.2



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)
BP40	40	\	30	50	38x38	26x26	1.2
BP50	50	\	35	60	38x38	26x26	1.2

» Wheel Material: Black PP.

» Finish: Chrome/Zinc.



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
BP40T	40	\	30	50	M8/10	15	24	1.2
BP50T	50	\	35	60	M8/10	15	28	1.2



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
BP40T-B	40	\	30	50	M8/10	15	24	1.2
BP50T-B	50	\	35	60	M8/10	15	28	1.2



Art. No.	 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)	 (mm)	 (mm)
BG50C	50	\	35	60	11	22	28	1.2

» Wheel Material: Black PP.

» Finish: Imitation Gold Plated.

» Plastic Furniture Casters



CB50C-NY



CB50C-PU

Art. No.		 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)
NYLON	PU TREAD						
CB50C-NY	CB50C-PU	50	51	35	60	11	22

» Wheel Material: Nylon, Polyurethane bonded to Nylon.

» Color: Different PU color is available.



Art. No.		 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)
SWIVEL	SWIVEL & BRAKE						
CC40P	CC40P-B	40	38	30	55	38x38 42x42	26x26 32x32
CC50P	CC50P-B	50	46	35	65	38x38 42x42	26x26 32x32

» Wheel Material: Nylon/PP.



Art. No.		 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)
SWIVEL	SWIVEL & BRAKE						
CC40T	CC40T-B	40	38	30	51	M8/10	15
CC50T	CC50T-B	50	46	35	61	M8/10	15



Art. No.		 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)
SWIVEL	SWIVEL & BRAKE						
CC40C	CC40C-B	40	38	30	50	11	22
CC50C	CC50C-B	50	46	35	60	11	22



Art. No.		 (mm)	 (mm)	 (kg)	 (mm)	 (mm)	 (mm)
SWIVEL	SWIVEL & BRAKE						
CC40U	CC40U-B	40	38	30	18/20/22	40/34x34	φ4/6
CC50U	CC50U-B	50	46	35	18/20/22	40/34x34	φ4/6

>> Pallet Truck Wheels



Art. No.	 (mm)	 (mm)	 (kg)	 Bearing	 (mm)
WPU7060	70	60	500	B6204	20
WPU7070	70	70	600	B6204	20
WPU7470	74	70	600	B6204	20
WPU7493	70	60	700	B6204	20
WPU8060	80	60	600	B6204	20
WPU8070	80	70	700	B6204	20
WPU8093	80	93	800	B6204	20

> Wheel Material: Polyurethane bonded to cast iron core. > Other wheel size is available.



Art. No.	 (mm)	 (mm)	 (kg)	 Bearing	 (mm)
WPU15050	150	50	800	B6204	20
WPU16050	160	50	900	B6204	20
WPU18050	180	50	1000	B6204	20
WPU20050	200	50	1200	B6204	20



Art. No.	 (mm)	 (mm)	 (kg)	 Bearing	 (mm)
WNY7060	70	60	500	B6204	20
WNY7070	70	60	600	B6204	20
WNY7272	72	72	600	B6204	20
WNY7470	74	70	600	B6204	20
WNY7493	74	93	700	B6204	20
WNY7870	78	70	600	B6204	20
WNY8060	80	60	600	B6204	20
WNY8070	80	70	700	B6204	20
WNY8093	80	93	800	B6204	20
WNY82100	82	100	900	B6204	20
WNY8590	85	90	900	B6204	20

> Wheel Material: Cast Nylon. > Other wheel size is available.



Art. No.	 (mm)	 (mm)	 (kg)	 Bearing	 (mm)
WPU15050	150	50	800	B6204	20
WPU16050	160	50	900	B6204	20
WPU18050	180	50	1000	B6204	20
WPU20050	200	50	1200	B6204	20

>> Sliding Gate Grooved Wheels



Single Bearing Model



Double Bearing Model



Single Bearing Model



Double Bearing Model

 (mm)	 (mm)	 (kg)	 (mm)	Art. No./Wheel Edge Shape			
				"V"	"H"	"U"	"Y"
48	15/17	60	10x55	A1V50	A1H50	A1U50	A1Y50
58	17	100	10x55	A1V60	A1H60	A1U60	A1Y60
68	20	120	12x55	A1V70	A1H70	A1U70	A1Y70
78	20	150	12x60	A1V80	A1H80	A1U80	A1Y80
88	20	180	12x60	A1V90	A1H90	A1U90	A1Y90
98	20/22	200	12x60	A1V100	A1H100	A1U100	A1Y100
118	20/22/25	220	14x70	A1V120	A1H120	A1U120	A1Y120

> Wheel Material: #45 Steel. > Finishing: Color Zinc-plated, Blue Zinc-plated. > Other wheel size available.

 (mm)	 (mm)	 (kg)	 (mm)	Art. No./Wheel Edge Shape			
				"V"	"H"	"U"	"Y"
78	24	200	12x70	A2V80	A2H80	A2U80	A2Y80
88	24	220	12x70	A2V90	A2H90	A2U90	A2Y90
98	25/30	250	12x70	A2V100	A2H100	A2U100	A2Y100
118	25/30	300	14x70	A2V120	A2H120	A2U120	A2Y120
138	25/30	350	14x70	A2V140	A2H140	A2U140	A2Y140
158	30	400	14x70	A2V160	A2H160	A2U160	A2Y160

 (mm)	 (mm)	 (kg)	 A/B (mm)	Art. No./Wheel Edge Shape			
				"V"	"H"	"U"	"Y"
48	15/17	60	106/85	B1V50	B1H50	B1U50	B1Y50
58	17	100	106/85	B1V60	B1H60	B1U60	B1Y60
68	20	120	130/105	B1V70	B1H70	B1U70	B1Y70
78	20	150	130/105	B1V80	B1H80	B1U80	B1Y80
88	20	180	152/127	B1V90	B1H90	B1U90	B1Y90
98	20/22	200	152/127	B1V100	B1H100	B1U100	B1Y100

> Wheel Material: #45 Steel. > Finishing: Color Zinc-plated, Blue Zinc-plated. > Other wheel size available.

 (mm)	 (mm)	 (kg)	 A/B (mm)	Art. No./Wheel Edge Shape			
				"V"	"H"	"U"	"Y"
78	24	180	130/105	B2V80	B2H80	B2U80	B2Y80
88	24	200	152/127	B2V90	B2H90	B2U90	B2Y90
98	25/30	220	152/127	B2V100	B2H100	B2U100	B2Y100
118	25/30	250	152/127	B2V120	B2H120	B2U120	B2Y120



Single Bearing Model

 (mm)	 (mm)	 (kg)	 T A/T (mm)	Art. No./Wheel Edge Shape			
				"V"	"H"	"U"	"Y"
48	15/17	60	41/2.0	D1V50	D1H50	D1U50	D1Y50
58	17	100	41/2.5	D1V60	D1H60	D1U60	D1Y60
68	20	120	51/2.5	D1V70	D1H70	D1U70	D1Y70
78	20	150	51/3.0	D1V80	D1H80	D1U80	D1Y80
88	20	180	67/3.0	D1V90	D1H90	D1U90	D1Y90
98	20/22	200	67/3.0	D1V100	D1H100	D1U100	D1Y100

➤ Wheel Material: #45 Steel. ➤ Finishing: Color Zinc-plated, Blue Zinc-plated. ➤ Other wheel size available.



Single Bearing Model

 (mm)	 (mm)	 (kg)	 A (mm)	Art. No./Wheel Edge Shape			
				"V"	"H"	"U"	"Y"
48	15/17	60	55	T1V50	T1H50	T1U50	T1Y50
58	17	100	55	T1V60	T1H60	T1U60	T1Y60
68	20	120	76	T1V70	T1H70	T1U70	T1Y70
78	20	150	76	T1V80	T1H80	T1U80	T1Y80
88	20	180	92	T1V90	T1H90	T1U90	T1Y90
98	20/22	200	92	T1V100	T1H100	T1U100	T1Y100

➤ Wheel Material: #45 Steel. ➤ Finishing: Color Zinc-plated, Blue Zinc-plated. ➤ Other wheel size available.



Double Bearing Model

 (mm)	 (mm)	 (kg)	 A (mm)	Art. No./Wheel Edge Shape			
				"V"	"H"	"U"	"Y"
78	24	180	76	T2V80	T2H80	T2U80	T2Y80
88	24	200	92	T2V90	T2H90	T2U90	T2Y90
98	25/30	220	92	T2V100	T2H100	T2U100	T2Y100
118	25/30	250	92	T2V120	T2H120	T2U120	T2Y120

➤➤ Splicing Movable Plastic Dolly Cart



MODEL NUMBER	DT6040
LOAD CAPACITY	150KG
PLATFORM SIZE	600×400 mm
PLATFORM HEIGHT	130 mm
PLATFORM MATERIAL	Polypropylene Copolymers
WHEEL	Swivel, $\varnothing$ 75×32 mm
WHEEL MATERIAL	TPR /Elastic Rubber
N.T./PC	4.2 KG
Color: Black, Grey, Blue, etc.	

➤➤ Hand Platform Truck



➤ Hand Platform Truck- Standard

MODEL NUMBER	PT150	PT300
LOAD CAPACITY	150KG	300KG
PLATFORM SIZE	700×500 mm	900×600 mm
PLATFORM MATERIAL	Polypropylene Copolymers	
WHEEL SIZE	$\varnothing$ 100×32 mm	$\varnothing$ 125×32 mm
WHEEL MATERIAL	PU bonded to PP	PU bonded to PP
OVERALL HEIGHT	835 mm	875 mm
N.T./PC	9.75 KG	12.65 KG
PACKING SIZE	735×515×143 mm	912×610×160 mm

Option: Elastic rubber wheel is available.
Option: 500Kg capacity truck is available: platform size 1100x650mm.

➤ New Model: Strength Enhanced

MODEL NUMBER	PT150N	PT350N
LOAD CAPACITY	150KG	350KG
PLATFORM SIZE	700×500 mm	900×600 mm
PLATFORM MATERIAL	Polypropylene Copolymers	
WHEEL SIZE	$\varnothing$ 100×32 mm	$\varnothing$ 125×32 mm
WHEEL MATERIAL	PU bonded to PP	PU bonded to PP
OVERALL HEIGHT	835 mm	875 mm
N.T./PC	10.0 KG	13.5 KG
PACKING SIZE	735×515×143 mm	912×610×160 mm

Option: Elastic rubber wheel is available.

➤ Double Deck Hand Platform Truck

MODEL NUMBER	PTH150	PTH350
LOAD CAPACITY	150KG	350KG
PLATFORM SIZE	700×500 mm	900×600 mm
PLATFORM MATERIAL	Polypropylene Copolymers	
WHEEL SIZE	$\varnothing$ 100×32 mm	$\varnothing$ 125×32 mm
WHEEL MATERIAL	PU bonded to PP	PU bonded to PP
UPPER DOCK HEIGHT	700 mm	736 mm
OVERALL HEIGHT	950 mm	1050 mm
N.T./PC	15 KG	21 KG
PACKING SIZE	730×500×250 mm	1070×620×250 mm

Option: Elastic rubber wheel is available.